From	 •	
Town		
State		





SPOUTINGS

GUTTERS

ROOFINGS

NOTHING BUT PURE LEAD EXPOSED TO THE WEATHER



SEVERAL TIMES
THE
SERVICE OF
ORDINARY FENCE

TEADCLAD SMOOTH & BARBED WIRE
TEADCLAD WOVEN WIRE FENCING

MOUNDSVILLE, WEST VA.

Dear Neighbor: -

Here's your 1929 Leadclad catalog. Before you study the prices, read carefully pages 3 to 9. Here we tell you how Leadclad is made, and how you can save money on both fencing and roofing.

You've probably noticed that most other fence makers have raised their prices for 1929, but we're happy to tell you that there is no increase in the price of Leadclad, in spite of the big advance in the cost of steel. The hundred thousand customers we've sold, and the big volume of business we're doing, makes it possible for us to give the same big Leadclad values without any extra cost to you.

Even the railroads and mining companies, who are always looking for ways to save money, have found out that it doesn't pay to buy cheap fences, skimped on size of wire, and washed with a thin coat of galvanizing, so they're buying Leadclad to save themselve money.

We particularly want to call attention to the bargain on page 33, showing Style H-635-12 at 52% a rod freight prepaid. Farmers tell us this is one of the best buys we have ever made. It is low in price, and high in quality. We already have orders for many thousands of rods of this style alone.


Many folks are sending in their orders now, so we can get out their fence before the spring rush comes. This is a good idea and you are sure of having your fence when you need it.

Yours truly,

LEADCLAD WIRE COMPANY

EADCLAD Barbed Wire

The Best Possible Buy of Any Barbed Wire Sold Anywhere



A few spools of LEADCLAD Barbed Wire

Full 80 Rods to the Spool

The Same Thick, Heavy Lead Jacket as Other BADCLAD Products

Delivered your station Freight Paid in lots of 3 spools or more.



CONVENIENT

ORDER BLANK INSIDE

INSTRUCTIONS--HOW TO ORDER

WE DO NOT demand full cash with order, although most of our customers pay in that way.

of the order cash with order, and we will ship the goods, allowing the If your order amounts to more than \$10.00 and you do not wish to send full cash with order, you may send one-fourth (以) of the amount balance to be paid through our nearest bank. After paying the balance of the bill to the bank, you receive the bill of lading and the freight agent will deliver the shipment to you. On orders for amounts of \$10.00 or less, we require cash in full with order. Or where there is no freight agent at railroad station or if shipment is sent to a boat landing, we require full amount of cash with order.

If you send only part advance remittance, balance to be collected through your bank, be sure to give us the name and address of the bank through which collection is to be made, on the order blank.



WE PAY THE FREIGHT ON

30 Rods Field or Poultry Fence 2 or more Wood Drive Gates 100 Ft. Lawn Fence or 4 Gates 5 Spools "13" Special Bark Wire

3 Spools Standard Barb Wire 200 Lbs, Smooth Wite 25 Line Posts 4 End Gate or Corner Posts 3 Squares Metal Roofing 100 Ft. Eave Trough, Conductor 100 Flower Supports, or 1 Dog. Flower Supports, if by

Or on a combination order equal to any of the above items when weight totals 300 pounds or more.

Prices subject to change without notice

SEE BACK PAGE

ORDER BLANK

Leadclad Wire Company

Moundsville, W. Va.

			Date				
WRITE YOUR	POST OFFIC	E ADDRESS HERE	WRITE SHIPPING INST	RUCTIONS HER	E		
My Name is			Name				
Post Office				(Name of Party to whom goods are to be shipped)			
Post Office	H		—— Shipping Point				
R.F.DStreet and NoState		County	County State				
		Name of Railroad	Name of Railroad				
LEADCLAD FARM FEN	CE						
Rods Style No.	Page No.		Remarks	Price	Amount		
466 (21.7)							
LEADCLAD POULTRY	FENCE				8 4 4		
Rods Style No.	Page No.		Remarks				
					1		
LEADCLAD LAWN FEN		1	Remarks				
Feet Style Heig	Tage No.		ACTION NO.				
Tinit politry	AWN GATES				•		
FARM, POULIKY and I							
	Feet Wide	In. High Page No.	State Below Whether for Wood or Steel Posts				
	Feet Wide	In. High Page No.	State Below Whether for Wood or Steel Posts				
nantity Style			State Below Whether for Wood or Steel Posts				
nantity Style			State Below Whether for Wood or Steel Posts				
nantity Style	IRE—80 Rod S	Spools	State Below Whether for Wood or Steel Posts				
LEADCLAD BARBED W	IRE—80 Rod S	Spools	State Below Whether for Wood or Steel Posts umber of Points and)				
LEADCLAD BARBED W Spools LEADCLAD 13 SPEC	IRE—80 Rod S	Spools le (Fill in n					
LEADCLAD BARBED W Speeds LEADCLAD 13 SPEC	IRE—80 Rod S	Spools le (Fill in n	umber of Points and)				
LEADCLAD BARBED W Spools LEADCLAD 13 SPEC Spools LEADCLAD STAND Lbs. LEADCLAD STAPLES Fence Stretcher State Sit	IRE—80 Rod S CIAL4 Point Cattle ARD Point inches long	Spools le (Fill in n (Whether	umber of Points and) r Hog or Cattle Spacing)				
LEADCLAD BARBED W Spools LEADCLAD 13 SPEC Spools LEADCLAD STAND Spools LEADCLAD STAND Lbs. LEADCLAD STAPLES Fence Stretcher State Sit LEADCLAD SMOOTH W	ZIAL4 Point Cattle ARD Point ARD Point inches long agle or Double Jack ZIRE, BRACE V	Spools le (Fill in n (Whether	umber of Points and) t Hog or Cattle Spacing) E, GRAPE WIRE and TELEPHONE WIRE				
LEADCLAD BARBED W Spools LEADCLAD 33 SPEC Spools LEADCLAD STAND Spools LEADCLAD STAND Lbs. LEADCLAD STAPLES Fence Stretcher State Sit LEADCLAD SMOOTH W	IRE—80 Rod S CIAL4 Point Cattle ARD Point inches long	Spools le (Fill in n (Whether	umber of Points and) r Hog or Cattle Spacing)				
LEADCLAD BARBED W Spools LEADCLAD 33 SPEC Spools LEADCLAD STAND Spools LEADCLAD STAND Lbs. LEADCLAD STAPLES Fence Stretcher State Sit LEADCLAD SMOOTH W	ZIAL4 Point Cattle ARD Point ARD Point inches long agle or Double Jack ZIRE, BRACE V	Spools le (Fill in n (Whether	umber of Points and) t Hog or Cattle Spacing) E, GRAPE WIRE and TELEPHONE WIRE				
LEADCLAD BARBED W Spools LEADCLAD 33 SPEC Spools LEADCLAD STAND Spools LEADCLAD STAND Lbs. LEADCLAD STAPLES Fence Stretcher State Size LEADCLAD SMOOTH W Lbs. Gauge	ZIAL—4 Point Cattle ARD Point ARD Point inches long igle or Double Jack VIRE, BRACE V Kind	Fill in n (Whether	umber of Points and) r Hog or Cattle Spacing) E, GRAPE WIRE and TELEPHONE WIRE Remarks				
LEADCLAD BARBED W Spools LEADCLAD 33 SPEC Spools LEADCLAD STAND Spools LEADCLAD STAND Lbs. LEADCLAD STAPLES Fence Stretcher State Size LEADCLAD SMOOTH W Lbs. Gauge	ZIAL—4 Point Cattle ARD Point ARD Point inches long igle or Double Jack VIRE, BRACE V Kind	WIRE, CRIMPED WI	umber of Points and) r Hog or Cattle Spacing) E, GRAPE WIRE and TELEPHONE WIRE Remarks				
LEADCLAD BARBED W Spools LEADCLAD 13 SPEC Spools LEADCLAD STAND Spools LEADCLAD STAND Lbs. LEADCLAD STAPLES Fence Stretcher State Siz LEADCLAD SMOOTH W Lbs. Gauge LEADCLAD FENCE POS	IRE—80 Rod S CIAL—4 Point Cattle ARD Point inches long igle or Double Jack VIRE, BRACE V Kind	Fill in n (Whether WIRE, CRIMPED WIR nce Posts (state which)	umber of Points and) t Hog or Cattle Spacing) E, GRAPE WIRE and TELEPHONE WIRE Remarks whether)				
LEADCLAD BARBED W Spools LEADCLAD 13 SPEC Spools LEADCLAD STAND Spools LEADCLAD STAND Lbs. LEADCLAD STAPLES Fence Stretcher State Sir LEADCLAD SMOOTH W Lbs. Gauge LEADCLAD FENCE POS Line Posts fe	IRE—80 Rod S CIAL—4 Point Cattle ARD Point inches long ingle or Double Jack VIRE, BRACE V Kind TS—Painted Fer	WIRE, CRIMPED WIR	umber of Points and) r Hog or Cattle Spacing) E, GRAPE WIRE and TELEPHONE WIRE Remarks whether) DCLAD)				
LEADCLAD BARBED W Spools LEADCLAD 13 SPEC Spools LEADCLAD STAND Spools LEADCLAD STAND Lbs. LEADCLAD STAPLES Fence Stretcher State Sit LEADCLAD SMOOTH W Lbs. Gauge LEADCLAD FENCE POS Line Posts fe End of Gate Posts fe Corner Posts fe	VIRE—80 Rod S CIAL—4 Point Cattle ARD Point inches long agle or Double Jack VIRE, BRACE V Kind TS—Painted Ference to long	WIRE, CRIMPED WIR	umber of Points and) t Hog or Cattle Spacing) E, GRAPE WIRE and TELEPHONE WIRE Remarks whether)				
LEADCLAD BARBED W Spools LEADCLAD 13 SPEC Spools LEADCLAD STAND Lbs. LEADCLAD STAND Lbs. LEADCLAD STAPLES Fence Stretcher State Sir LEADCLAD SMOOTH W Lbs. Gauge LEADCLAD FENCE POS Line Posts fe End of Gate Posts fe Corner Posts fe LEADCLAD ROOFING	IRE—80 Rod S IAL—4 Point Cattle ARD Point ARD Point inches long agle or Double Jack IRE, BRACE V Kind TS—Painted Ference long et long	WIRE, CRIMPED WIR	umber of Points and) r Hog or Cattle Spacing) E, GRAPE WIRE and TELEPHONE WIRE Remarks whether) DCLAD)				
LEADCLAD BARBED W Spools LEADCLAD 13 SPEC Spools LEADCLAD STAND Lbs. LEADCLAD STAND Lbs. LEADCLAD STAPLES Fence Stretcher State Sir LEADCLAD SMOOTH W Lbs. Gauge LEADCLAD FENCE POS Line Posts fe End of Gate Posts fe Corner Posts fe LEADCLAD ROOFING	IRE—80 Rod S CIAL—4 Point Cattle ARD Point ARD Point inches long agle or Double Jack IRE, BRACE V Kind TTS—Painted Ference to long et long et long	WIRE, CRIMPED WIR nce Posts (state which) (State 4 (LEA)	umber of Points and) r Hog or Cattle Spacing) E, GRAPE WIRE and TELEPHONE WIRE Remarks whether) DCLAD) ed is desired)				
LEADCLAD BARBED W Spools LEADCLAD 13 SPEC Spools LEADCLAD STAND Spools LEADCLAD STAND Lbs. LEADCLAD STAPLES Fence Stretcher State Sit LEADCLAD SMOOTH W Lbs. Gauge LEADCLAD FENCE POS Line Posts fe End of Gate Posts fe Corner Posts fe	IRE—80 Rod S CIAL—4 Point Cattle ARD Point ARD Point inches long agle or Double Jack IRE, BRACE V Kind TTS—Painted Ference to long et long et long	WIRE, CRIMPED WIR nce Posts (state which) (State 4 (LEA)	umber of Points and) r Hog or Cattle Spacing) E, GRAPE WIRE and TELEPHONE WIRE Remarks whether) DCLAD) ed is desired)				
LEADCLAD BARBED W Spools LEADCLAD 13 SPEC Spools LEADCLAD STAND Spools LEADCLAD STAND Lbs. LEADCLAD STAPLES Fence Stretcher State Sit LEADCLAD SMOOTH W Lbs. Gauge LEADCLAD FENCE POS Line Posts fe End of Gate Posts fe Corner Posts fe LEADCLAD ROOFING	IRE—80 Rod S CIAL—4 Point Cattle ARD Point ARD Point inches long agle or Double Jack IRE, BRACE V Kind TTS—Painted Ference to long et long et long	WIRE, CRIMPED WIR nce Posts (state which) (State 4 (LEA)	umber of Points and) r Hog or Cattle Spacing) E, GRAPE WIRE and TELEPHONE WIRE Remarks whether) DCLAD) ed is desired)				
LEADCLAD BARBED W Spools LEADCLAD 13 SPEC Spools LEADCLAD STAND Spools LEADCLAD STAND Lbs. LEADCLAD STAPLES Fence Stretcher State Sit LEADCLAD SMOOTH W Lbs. Gauge LEADCLAD FENCE POS Line Posts fe End of Gate Posts fe Corner Posts fe	IRE—80 Rod S CIAL—4 Point Cattle ARD Point ARD Point inches long agle or Double Jack IRE, BRACE V Kind TTS—Painted Ference to long et long et long	WIRE, CRIMPED WIR nce Posts (state which) (State 4 (LEA)	umber of Points and) r Hog or Cattle Spacing) E, GRAPE WIRE and TELEPHONE WIRE Remarks whether) DCLAD) ed is desired)				
LEADCLAD BARBED W Spools LEADCLAD 13 SPEC Spools LEADCLAD STAND Spools LEADCLAD STAND Lbs. LEADCLAD STAPLES Fence Stretcher State Sit LEADCLAD SMOOTH W Lbs. Gauge LEADCLAD FENCE POS Line Posts fe End of Gate Posts fe Cornet Posts fe LEADCLAD ROOFING heets Gauge	IRE—80 Rod S IAL—4 Point Cattle ARD Point ARD Point inches long agle or Double Jack IRE, BRACE V Kind TS—Painted Ference to long et long Length	WIRE, CRIMPED WIR nce Posts (state which) (State 4 (LEA)	umber of Points and) r Hog or Cattle Spacing) E, GRAPE WIRE and TELEPHONE WIRE Remarks whether) DCLAD) ed is desired)				
LEADCLAD BARBED W Spools LEADCLAD 13 SPEC Spools LEADCLAD STAND Lbs. LEADCLAD STAND Lbs. LEADCLAD STAPLES Fence Stretcher State Sit LEADCLAD SMOOTH W Lbs. Gauge LEADCLAD FENCE POS Line Posts fe End of Gate Posts fe Corner Posts fe LEADCLAD ROOFING heets Gauge	IRE—80 Rod S CIAL—4 Point Cattle ARD Point ARD Point inches long agle or Double Jack IRE, BRACE V Kind TTS—Painted Ference to long et long et long	WIRE, CRIMPED WIR nce Posts (state which) (State 4 (LEA)	umber of Points and) r Hog or Cattle Spacing) E, GRAPE WIRE and TELEPHONE WIRE Remarks whether) DCLAD) ed is desired)				
LEADCLAD BARBED W Spools LEADCLAD 13 SPEC Spools LEADCLAD STAND Spools LEADCLAD STAND Lbs. LEADCLAD STAPLES Fence Stretcher State Sit LEADCLAD SMOOTH W Lbs. Gauge LEADCLAD FENCE POS Line Posts fe End of Gate Posts fe Corner Posts fe LEADCLAD ROOFING heets Gauge	IRE—80 Rod S IAL—4 Point Cattle ARD Point ARD Point inches long agle or Double Jack IRE, BRACE V Kind TS—Painted Ference to long et long Length	WIRE, CRIMPED WIR nce Posts (state which) (State 4 (LEA)	umber of Points and) r Hog or Cattle Spacing) E, GRAPE WIRE and TELEPHONE WIRE Remarks whether) DCLAD) ed is desired)	TOTAL			

(Above give name of Bank or Express Office we are to send Draft for Balance due)

(On above line give name of Town where Bank or Express Office is located)

(SEE OTHER SIDE)

Goods can't be shipped C.O.D. to a Boat Landing, or to a point where there is no Railroad Agent.

WHAT IS COSTING YOU?




THE LEADCLAD WIRE CO. MOUNDSVILLE W. VA.

LEADCLAD FENCE

FOR EVERY FENCE PURPOSE

Styles 1155 11 bar 55 in.



A style of Leadclad Fence for every General fence purpose. FOR HORSES, CATTLE, SHEEP, HOGS and ALL FARM ANIMALS.

This Leadclad Fence is made in 5 standard heights and three different weight or gauge of filler wires.

Medium weight or No. 12 gauge filler wires.

Heavy weight or No. 11 gauge filler wires.

Extra Heavy or All No. 9 gauge wire throughout.

We recommend the Heavy weight or No. 11 gauge filler. The 11 Gauge filler in Leadclad is plenty strong for all ordinary fence purposes. The Heavy Lead Jacket resists rust and keeps the wires strong and new.

Leadclad Fence is easier to erect, the soft, pliable lead jacket makes the fence nice to handle and easy to stretch. Leadclad No. 11 filler fence lasts a lot longer and costs a lot less in the end.

Each of the 5 heights illustrated above are made in 3 weights as specified below with either six or twelve inches between stay wires, giving you 30 popular styles to select from.

SPECIFICATIONS AND ACTUAL SIZE OF THE WIRES

SPEC. NO. 12 GA.
Designated in Style No. 0

No. 9

No. 9

No. 9

No. 9

No. 9

No. 9

Intermediate Wires. No. 12


No. 12

No. 11

No. 9

12" stay furnished in 20 and 30 rod rolls. 6" stay furnished in 10 and 20 rod rolls.

LEADCLAD FENCE




HORSE, CATTLE AND SHEEP FENCE

These styles are ideal Leadclad Fence for horses, cattle, or sheep. The wider spacing is more economical than the close or standard spacing and turns all stock except pigs. Style 635 is usually placed 10 inches above the ground and one or more strands of Leadclad Barbed Wire stretched above it for horses and cattle.

Made 12 inches between stay wires. Furnished in 20 and 30 rod rolls.


Above styles are made in three weights or specifications with actual size of wires as follows:

ACTUAL SIZE OF WIRES



12" stay furnished in 20 and 30 rod rolls.

LEADCLAD POULTRY FENCE



Leadclad Heavy Close Spacing Poultry and Rabbit Fence


This Leadclad close spaced fence will turn rabbits and all poultry including the small chicks. It stretches up like regular fence. No top or bottom boards are required, as it does not buckle during erection.

It is made with a No. 11 Gauge Top Wire, No. 12 Gauge Bottom Wire, with No. 14½ Gauge Filler.


STAY WIRE 6" APART

Furnished in 10, 20 and 30 Rod Rolls

The cuts below show the exact size of wire used in Leadclad Poultry and Rabbit Fence



LEADCLAD WIRE CO., Moundsville, W. Va.



HOW TO SAVE MONEY


YOU PAY THE COST OF GOOD FENCE WHETHER YOU GET GOOD FENCE OR NOT

The way to save money on your fencing is to buy Leadclad.

Here's why. One of the heavy costs of farm fence is the labor of putting it up.

If you have to do it over every few years, the cost runs high.

It is more economical to put Leadclad Fence on Leadclad Posts, and then not have to touch it for many years.




You can buy wire made of cheap steel, skimped on gauge, and washed with a thin coating of galvanizing, and think you are saving money.

But when this wire stands a little while, it begins to rust and instead of economy, you have an expensive job that must be done all over again.

Leadclad Fence saves you 100%. It makes your fences good and permanent, suitable for the future. You save the upkeep and replacement expense.

STRENGTH OF NO. 11 LEADCLAD WIRE COMPARED WITH STRENGTH OF NO. 9 ORDINARY WIRE FOR EIGHT YEARS



Start Refencing now with LEADCLAD and Save Future Expense and Worry

HOW LEADCLAD WIRE IS MADE

Leadclad is made by applying a HEAVY THICK JACKET of PURE, TOUGH weather-proof Lead to a copper bearing base wire.

This Lead Jacket is seven times as heavy as the zinc coating on the ordinary galvanized wire.

This heavy PURE LEAD jacket is YOUR PROTECTION, keeping the rust fiends out, and protecting your Leadclad Fence from the rain, frost, sleet, and snow, day and night, year after year.

LEAD IS MOST DURABLE

You may bury Lead in the ground for ages, as the ancient Romans buried their lead water pipes, and TIME will not destroy it.

The builders in Southern Europe NINE CENTURIES AGO used lead for roofing and those roofs are still giving service.

Bet if you ever plowed up a bullet you started to thinking and you wondered how long ago it had been fired. Perhaps a hundred years maybe two hundred years. How could you tell, for a hundred years doesn't mean anything in the life of a lead bullet, but a few years means a whole lot in the life of your fence. LEADCLAD saves you up-keep and replacement expense.

A Leadclad Fence lasts a lot longer, and costs a lot less, than a couple of ordinary fences.

USE NUMBER 11 GA. LEADCLAD AND SAVE MONEY

WHY DO YOU BUY "ALL NO. 9" FENCE?

Is it because your experience has shown you that the coating upon Galvanized Fencing has but a short life, and that you can get more service out of Heavy Rusty Wire than you can get out of Light Rusty Wire?

When you buy LEADCLAD Wire Fencing, or LEADCLAD Barbed Wire, which is coated with a sevenfold coating of PURE LEAD, you are buying protection for your wire rather than the steel wire itself, and as the lead coating upon the light wire is as heavy as the lead coating upon the heavy wire, there is no reason for spending your money for the extra weight of steel.

LEADCLAD Woven Wire Fencing made with No. 9 top wire, No. 10 bottom wire, with No. 11 filler and stay wires, will give you several times the service of all No. 9 Galvanized Fence, and cost you less.

USE NUMBER 11 GA. LEADCLAD AND SAVE MONEY



MESH FENCING

FOR

FUR-BEARERS

AND


POULTRY

LEADCLAD WIRE CO.

MOUNDSVILLE, W. VA.

LEADCLAD MESH FENCING

16 Gauge - 1 inch Mesh



This is an actual size photograph of LEADCLAD 16 Gauge, 1 in. Mesh

Furnished in 150 foot rolls, and in the following heights: 2, 3, 4, 5 and 6 feet.

Also furnished in 1½ inch Mesh.

WE ARE offering Leadclad Mesh Fencing to the public in response to the many urgent demands from our customers for this type of fencing with Leadclad protection.

Leadclad Farm Fencing, Barbed Wire and Fence Posts have been tried and proven by years of service under the most trying conditions and are firmly established in the public favor—especially that part of the public requiring fencing of long wear and low upkeep.

Leadclad Roofings for Homes and Barns have been made for nearly twenty years, and wherever roofs are used, they are accepted as giving the most protection against Fire, Lightning and the Weather.

Leadclad Mesh Fencing is of the same high quality, and carries the same thick, heavy PURE LEAD PROTECTION.

It is coated by the LEADCLAD PROCESS after weaving.

The coating of pure lead is very heavy—the 16 gauge 1 inch mesh fencing 6 feet high has over SIXTY POUNDS of coating to the roll, and the other sizes in the same proportion.

Where mesh fencing is used upon fur farms, it is frequently necessary to bury the fence in the ground, and this is destructive to most fences. But burying it in the ground has little effect upon lead. Bullets used in the Indian Wars, and in the Civil War, are being plowed up today, and their splendid condition is ample testimony to the wearing quality of pure lead. The lead used upon Leadclad fencing is the same kind as the lead in a bullet.

Lead caskets were used for burying the dead a thousand years ago, and these caskets today are found to be in a good state of preservation.

There is no metal that will endure under ground as well as LEAD.

That is why Leadclad Mesh Fencing is so well adapted to the peculiarly severe service of Fur Farming requirements.

We especially recommend that Leadclad Fence Posts be used in connection with Leadclad Fencing, as the thick, dense coating of pure lead makes them almost indestructible.

LEADCLAD MESH FENCING

20 Gauge - 1 inch Mesh



This is an actual size photograph of LEADCLAD 20 Gauge, 1 in. Mesh

Furnished in 150 foot rolls, and in the following heights: 1, 2, 3, 4, 5 and 6 feet. Also furnished in 2 inch Mesh.

LEADCLAD MESH FENCING

AND

LEADCLAD FENCE POSTS

ARE
RECOMMENDED FOR USE
UPON

GAME PRESERVES
FUR FARMS
POULTRY FARMS
TENNIS COURTS

AND FOR

DOG KENNEL YARDS



LEADCLAD WIRE CO.,

MOUNDSVILLE

WEST VIRGINIA

Digitized by:



ASSOCIATION FOR PRESERVATION TECHNOLOGY INTERNATIONAL www.apti.org

BUILDING TECHNOLOGY HERITAGE LIBRARY

https://archive.org/details/buildingtechnologyheritagelibrary

From the collection of:
Gerron S. Hite
West Texas Collection, Angelo State University, San Angelo, TX

LEADCLAD MESH
FENCING is made in
the following gauges, sizes
and heights:

- 16 Gauge—1 in., 1½ in. and 2 in. mesh, and in 2, 3, 4, 5 and 6 ft. heights.
- 18 Gauge—1 in. and 1½ in. mesh, and in 2, 3, 4, 5 and 6 ft. heights.
- 20 Gauge—1 in. mesh, 1, 2, 3, 4, 5 and 6 ft. heights.
- 20 Gauge—2 in. mesh, 2, 3, 4, 5 and 6 ft. heights.
- All gauges and meshes have the same thick, heavy LEADCLAD protection.

As the freight rates to the various parts of the country vary widely, we cannot list delivered prices upon this sheet, but we shall be glad to quote prices delivered to your nearest railroad station upon request.